

Technical Specifications For 20 pair STB Box

20 Pair DP Box For STB Module Non Protection

The Box is used in Outside Plant Copper Cable Connection and Distribution,1 side with Twist Telephone Cable,1 side with Drop Cable.it provides good specifications for Waterproof and Cat5e Transmission.Also be available for VDSL and ADSL.



Technical Specifications For 20 pair STB Box

20 Pair DP Box For STB Module OverVoltage Protection



Technical Specifications For 20 pair STB Box

MATERIAL	TYPE
Pair/drop wire housing screw	Zn Material ,Plating -40N for Moment Of Force
Drop wire housing body	Transparent polycarbonate
BODY	Flame retardant (UL 94) polycarbonate
Cable/drop wire membrane	Thermoplastic rubber
Insertion contacts	Tinned phosphor bronze
Ground contacts	Stainless Steel 94
Continuity contacts	Tinned hard brass
Lower Sealant	Polymeric resin
Upper cable sealant	Grease
Pair bearing cover	White polycarbonate
Drop wire bearing cover	Transparent polycarbonate
O-Ring for module	EPDM
Box base and cover:	Polycarbonate & Colour RAL 7035
BRIDA CABLE	Stainless Steel AISI 304
screw M4	Stainless Steel AISI 304
nuts M4	Stainless Steel AISI 304
grommet for the box	EPDM